EMPTA Effluent Characterization Summary

- Process. The Field Deployable Hydrolysis System (FDHS) mixes EMPTA with 12% Sodium Hypochlorite (NaClO;CAS 7681-2-9) at a ratio of 1:8 (EMPTA:NaClO). The primary hydrolysis products of the EMPTA:NaClO reaction are Methyl phosphonic Acid (MPA; CAS 993-13-5), O-ethyl methyl phosphonic acid (EMPA;CAS1832-53-7), 2-Chlorethanol (CAS 107-07-3), Acetic Acid (CAS 64-19-7), Sulfur (CAS 7704-34-9).
- 2. An analysis of the effluent found there was no flash point at 25, 60, or 100 C for either the unneutralized (pH 4) or neutralized (pH 11) solution.
- 3. **Hazard Identification.** Example Material Safety Data Sheets for the components are attached:
 - a. EMPTA
 - b. NaClO
 - c. MPA
 - d. EMPA
 - e. Chlorethanol
 - f. Acetic Acid
 - g. Sulfur

4. The Edgewood Chemical Biological Center (ECBC), Department of the Army believes that the data contained herein are actual and are the results of the tests conducted by ECBC experts. The data are not to be taken as a warranty or representation for which the Department of the Army or ECBC assumes legal responsibility. They are offered solely for consideration. Any use of this data and information contained in this analysis must be determined by the user to be in accordance with applicable Federal, State, and local laws and regulations.

SIGMA-ALDRICH

sigma-aldrich.com Material Safety Data Sheet

Version 5.0 Revision Date 12/19/2012 Print Date 10/18/2013

1. PRODUCT AND COMPANY IE	DENT	IFICATION
Product name	:	O-Ethyl methylphosphonothioate
Product Number Brand	:	445037 Aldrich
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone	:	+1 800-325-5832
Fax	:	+1 800-325-5052
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect

Target Organs

Central nervous system, Heart, Blood, Eyes

GHS Classification

Acute toxicity, Inhalation (Category 3) Acute toxicity, Dermal (Category 3) Acute toxicity, Oral (Category 3) Skin corrosion (Category 1B) Serious eye damage (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

P310 HMIS Classification	present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
Precautionary statement(s) P261 P280 P305 + P351 + P338	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
Hazard statement(s) H301 + H311 H314 H331	Toxic if swallowed or in contact with skin Causes severe skin burns and eye damage. Toxic if inhaled.

FOUO

Chronic Health Hazard:	*
Flammability:	1
Physical hazards:	0
NFPA Rating	
Health hazard:	0
Fire:	1
Reactivity Hazard:	0
Potential Health Effects	
Inhalation Skin	May be harmful if inhaled. May cause respiratory tract irritation. May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.
Ingestion	May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula	: C ₃ H ₉ O ₂ PS	
Molecular Weight	: 140.14 g/mol	
Component		Concentration
O-Ethyl methylphospl	honothioate	
CAS-No.	18005-40-8	-

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Oxides of phosphorus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

	Form	liquid
	Colour	light yellow
Sa	afety data	
	рН	no data available
	Melting point/freezing point	no data available
	Boiling point	73 °C (163 °F) at 1 hPa (1 mmHg) - lit.
	Flash point	107 °C (225 °F) - closed cup
	Ignition temperature	no data available
	Auto-ignition temperature	no data available
	Lower explosion limit	no data available
	Upper explosion limit	no data available
	Vapour pressure	no data available

Density	1.18 g/cm3 at 25 °C (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapor density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid no data available

Materials to avoid Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Oxides of phosphorus Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 no data available

Inhalation LC50 Dermal LD50 Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

Potential health effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Ingestion	May be harmful if swallowed.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

Synergistic effects

no data available

Additional Information RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2927 Class: 6.1 (8)

11 Dec 2013

Proper shipping name: Toxic liquids, corrosive, organic, n.o.s. (O-Ethyl methylphosphonothioate) Marine Pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2927 Class: 6.1 (8) Packing group: II EMS-No: F-A. S-B Proper shipping name: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (O-Ethyl methylphosphonothioate) Marine Pollutant: No

FOUO

ΙΑΤΑ

UN number: 2927 Class: 6.1 (8) Packing group: II Proper shipping name: Toxic liquid, corrosive, organic, n.o.s. (O-Ethyl methylphosphonothioate)

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III. Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components		
O-Ethyl methylphosphonothioate	CAS-No. 18005-40-8	Revision Date
New Jersey Right To Know Components		
O-Ethyl methylphosphonothioate	CAS-No. 18005-40-8	Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH

sigma-aldrich.com Material Safety Data Sheet

Version 5.3 Revision Date 04/04/2013 Print Date 10/18/2013

1. PRODUCT AND COMPANY I	DENT	IFICATION		
Product name	:	Sodium hypochlorite solution		
Product Number Brand	:	425044 Sigma-Aldrich		
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA		
Telephone	:	+1 800-325-5832		
Fax	:	+1 800-325-5052		
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555		
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956		

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards Corrosive

GHS Classification

Skin corrosion (Category 1B) Serious eye damage (Category 1) Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

Hazard statement(s) H314 H400	Causes severe skin burns and eye damage. Very toxic to aquatic life.
Precautionary statement((s)
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.

Other hazards

Contact with acids liberates toxic gas.

HMIS Classification

Health hazard:	3
Flammability:	0
Physical hazards:	0

FOUO

Health hazard:	3
Fire:	0
Reactivity Hazard:	0
Potential Health Effects	
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin	May be harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.
Ingestion	May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula Molecular Weight	: CINaO : 74.44 g/mol		
Component		Classification	Concentration
Sodium hypochlorite			
CAS-No. EC-No. Index-No.	7681-52-9 231-668-3 017-011-00-1	Skin Corr. 1B; Aquatic Acute 1; H314, H400, EUH031	10 - 30 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Dry powder

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Sodium oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Do not flush with water. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage. Do not store near acids.

Recommended storage temperature: 2 - 8 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Sodium hypochlorite	7681-52-9	STEL	2 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

Appearance

	Form	liquid
	Colour	no data available
Sa	afety data	
	рН	no data available
	Melting point/freezing point	-3020 °C (-224 °F)
	Boiling point	111 °C (232 °F)
	Flash point	not applicable
	Ignition temperature	no data available
	Auto-ignition temperature	no data available
	Lower explosion limit	no data available
	Upper explosion limit	no data available
	Vapour pressure	23.3 hPa (17.5 mmHg) at 20 °C (68 °F)
	Density	1.206 g/mL at 25 °C (77 °F)
	Water solubility	completely miscible
	Partition coefficient: n-octanol/water	no data available
	Relative vapour density	no data available
	Odour	no data available
	Odour Threshold	no data available
	Evapouration rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions no data available

Conditions to avoid

no data available

Materials to avoid

Strong acids, Organic materials, Powdered metals, Forms shock-sensitive mixtures with certain other materials., Amines, Reacts violently with ammonium salts, aziridine, methanol, and phenylacetonitrile, sometimes resulting in explosions. Reacts with primary aliphatic or aromatic amines to form explosively unstable n-chloroamines. Reaction with formic acid becomes explosive at 55°C.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Sodium oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 no data available

Inhalation LC50 no data available

Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritation Eyes: no data available

Respiratory or skin sensitisation no data available

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

Potential health effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Ingestion	May be harmful if swallowed.
Skin	May be harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.

Signs and Symptoms of Exposure

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Synergistic effects no data available

Additional Information **RTECS: Not available**

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of upprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1791 Class: 8 Packing group: III Proper shipping name: Hypochlorite solutions Reportable Quantity (RQ): 667 lbs Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN number: 1791 Class: 8 Packing group: III Proper shipping name: HYPOCHLORITE SOLUTION Marine pollutant: No

EMS-No: F-A, S-B

ΙΑΤΑ

UN number: 1791 Class: 8 Packing group: III Proper shipping name: Hypochlorite solution

15. REGULATORY INFORMATION

OSHA Hazards Corrosive

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Sodium hypochlorite	CAS-No. 7681-52-9	Revision Date 2007-03-01
Pennsylvania Right To Know Components		
Water	CAS-No. 7732-18-5	Revision Date
Sodium hypochlorite	7681-52-9	2007-03-01
New Jersey Right To Know Components		
Water	CAS-No. 7732-18-5	Revision Date
Sodium hypochlorite	7681-52-9	2007-03-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute aquatic toxicity
Contact with acids liberates toxic gas.
Causes severe skin burns and eye damage.
Very toxic to aquatic life.
Skin corrosion

Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH

sigma-aldrich.com Material Safety Data Sheet

Version 5.1 Revision Date 12/04/2013 Print Date 12/06/2013

1. PRODUCT AND COMPANY IE	DENT	IFICATION
Product name	:	Methylphosphonic acid
Product Number Brand	:	289868 Aldrich
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone	:	+1 800-325-5832
Fax	:	+1 800-325-5052
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Harmful by ingestion., Corrosive

GHS Classification

Acute toxicity, Oral (Category 4) Skin corrosion (Category 1B) Serious eye damage (Category 1)

GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

	eignar word	Dangor
	Hazard statement(s) H302 H314	Harmful if swallowed. Causes severe skin burns and eye damage.
	Precautionary statement(s) P280 P305 + P351 + P338	Wear protective gloves/ protective clothing/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	P310	present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
ΗN	IIS Classification	
	Health hazard:	3
	Flammability:	0
	Physical hazards:	0
NF	PA Rating	
	Health hazard:	3
	Fire:	0
	Reactivity Hazard:	0

Potential Health Effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin	Harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.
Ingestion	Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula Molecular Weight	: CH ₅ O ₃ P : 96.02 g/mol	
Component		Concentration
Methylphosphonic ac	d	
CAS-No.	993-13-5	<= 100 %
EC-No.	213-607-2	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

FF	
Form	solid
Colour	white
Safety data	
рН	no data available
Melting point/freezing point	Melting point/range: 105 - 107 °C (221 - 225 °F) - lit.
Boiling point	no data available
Flash point	not applicable

DRAFT - EMPTA Effluent Characterization Summary		
Ignition temperature	no data available	
Auto-ignition temperature	no data available	
Lower explosion limit	no data available	
Upper explosion limit	no data available	
Vapour pressure	no data available	
Density	no data available	
Water solubility	no data available	
Partition coefficient: n-octanol/water	no data available	
Relative vapour density	no data available	
Odour	no data available	
Odour Threshold	no data available	
Evapouration rate	no data available	

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions no data available

Conditions to avoid no data available

Materials to avoid Strong oxidizing agents, Strong bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus Other decomposition products - no data available

FOUO

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 no data available

Inhalation LC50 no data available

Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitisation no data available

Germ cell mutagenicity no data available

11 Dec 2013

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

Potential health effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Ingestion	Harmful if swallowed.
Skin	Harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.

Signs and Symptoms of Exposure

Cough, Shortness of breath, Headache, Nausea, Vomiting

Synergistic effects no data available

Additional Information RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3261 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, organic, n.o.s. (Methylphosphonic acid) Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN number: 3261 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (Methylphosphonic acid) Marine pollutant: No

ΙΑΤΑ

UN number: 3261 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, organic, n.o.s. (Methylphosphonic acid)

15. REGULATORY INFORMATION

OSHA Hazards

Harmful by ingestion., Corrosive

SARA 302 Components SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Methylphosphonic acid	CAS-No. 993-13-5	Revision Date
New Jersey Right To Know Components	CAS-No.	Revision Date
Methylphosphonic acid	993-13-5	Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH

sigma-aldrich.com Material Safety Data Sheet

Version 5.0 Revision Date 12/14/2012 Print Date 12/11/2013

1. PRODUCT AND COMPANY IDENTIFICATION				
Product name	:	Ethyl methylphosphonate		
Product Number Brand	:	386561 Aldrich		
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA		
Telephone	:	+1 800-325-5832		
Fax	:	+1 800-325-5052		
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555		
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956		

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Toxic by ingestion, Irritant

GHS Classification

Acute toxicity, Oral (Category 3) Skin irritation (Category 2) Eye irritation (Category 2A) Specific target organ toxicity - single exposure (Category 3)

GHS Label elements, including precautionary statements

Pictogram

	/	1	
1	a	10	
	V	V	1
	~	1	

Signal word	Danger
Hazard statement(s) H301 H315 H319 H335	Toxic if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Precautionary statement(s) P261 P301 + P310 P305 + P351 + P338	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
HMIS Classification Health hazard: Flammability: Physical hazards:	2 1 0
NFPA Rating Health hazard:	2

1 0

1110.
Reactivity Hazard:

Potential Health Effects

Firo

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula Molecular Weight	: C ₃ H ₉ O ₃ P : 124.08 g/mol	
Component		Concentration
Ethyl methylphospho	nate	
CAS-No.	1832-53-7	-

FOUO

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection. FOUO

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	liquid
Colour	no data available
Safety data	
рН	no data available
Melting point/freezing point	no data available
Boiling point	no data available
Flash point	113 °C (235 °F) - closed cup
Ignition temperature	no data available
Auto-ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	no data available
Density	1.172 g/cm3 at 25 °C (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapor density	no data available

11 Dec 2013

DRAFT - EMPTA Effluent Characterization Summary	
---	--

FOUO

Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid no data available

Materials to avoid Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 no data available

Inhalation LC50 no data available

Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization no data available

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
 ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
 NTD: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

Potential health effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	Toxic if swallowed.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

Synergistic effects no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability no data available

Bioaccumulative potential

no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2810 Class: 6.1 Packing group: III Proper shipping name: Toxic, liquids, organic, n.o.s. (Ethyl methylphosphonate) Marine Pollutant: No Poison Inhalation Hazard: No

IMDG

UN number: 2810 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (Ethyl methylphosphonate)

Marine Pollutant: No

ΙΑΤΑ

UN number: 2810 Class: 6.1 Packing group: III Proper shipping name: Toxic liquid, organic, n.o.s. (Ethyl methylphosphonate)

15. REGULATORY INFORMATION

OSHA Hazards

Toxic by ingestion, Irritant

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

FOUO

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Ethyl methylphosphonate	CAS-No. 1832-53-7	Revision Date
New Jersey Right To Know Components	CAS-No.	Revision Date
Ethyl methylphosphonate	1832-53-7	Nevision Dale

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH

sigma-aldrich.com **Material Safety Data Sheet**

Version 4.2 Revision Date 11/30/2012 Print Date 10/18/2013

1. PRODUCT AND COMPANY II	DENT	IFICATION
Product name	:	2-Chloroethanol
Product Number Brand	:	185744 Aldrich
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone	:	+1 800-325-5832
Fax	:	+1 800-325-5052
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Combustible Liquid, Target Organ Effect, Highly toxic by inhalation, Highly toxic by ingestion, Highly toxic by skin absorption, Irritant

Target Organs

Kidney, Liver, Central nervous system, Eyes, Cardiovascular system.

GHS Classification

Flammable liquids (Category 3) Acute toxicity, Oral (Category 2) Acute toxicity, Inhalation (Category 1) Acute toxicity, Dermal (Category 2) Skin irritation (Category 3) Serious eye damage (Category 1) Acute aquatic toxicity (Category 3)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)	
H226	Flammable liquid and vapour.
H300 + H310	Fatal if swallowed or in contact with skin
H316	Causes mild skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H402	Harmful to aquatic life.
	-

Precautionary statement(s) P260

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash hands thoroughly after handling. FOUO

P264

DRAFT - EMPTA Effluent Charac	terization Summary	FOUO	11 Dec 2013
P280 P284 P302 + P350 P305 + P351 + P338 P310	Wear respiratory pro IF ON SKIN: Gently IF IN EYES: Rinse of present and easy to	ves/ eye protection/ face protection. otection. wash with plenty of soap and water. cautiously with water for several minutes. do. Continue rinsing. POISON CENTER or doctor/ physician.	Remove contact lenses, if
HMIS Classification Health hazard: Chronic Health Hazard: Flammability: Physical hazards:	4 * 2 0		
NFPA Rating Health hazard: Fire: Reactivity Hazard:	4 2 0		
Potential Health Effects			
Inhalation Skin Eyes Ingestion		ed. Causes respiratory tract irritation. rbed through skin. Causes skin irritation. n.	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: Ethylene chlorohydrin	
Formula	: C ₂ H ₅ ClO	
Molecular Weight	: 80.51 g/mol	
Component		Concentration
2-Chloroethanol		
CAS-No.	107-07-3	-
EC-No.	203-459-7	
Index-No.	603-028-00-7	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

FOUO

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
2-Chloroethanol	107-07-3	С	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks		Central Nervous System impairment Liver & kidney damage Not classifiable as a human carcinoger Danger of cutaneous absorption		
		С	1 ppm 3 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	Skin notatior	1	· · · · ·	
		TWA	5 ppm 16 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Skin designation The value in mg/m3 is approximate.			pproximate.
		С	1 ppm 3 mg/m3	USA. NIOSH Recommended Exposure Limits
	Potential for	dermal ab	sorption	

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash protection Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

	Form	liquid, clear
	Colour	colourless
Sa	fety data	
	рН	no data available
	Melting point/freezing point	Melting point/range: -89 °C (-128 °F) - lit.
	Boiling point	129 °C (264 °F) - lit.
	Flash point	55 °C (131 °F) - closed cup
	Ignition temperature	425 °C (797 °F)
	Auto-ignition temperature	no data available
	Lower explosion limit	5 %(V)
	Upper explosion limit	16 %(V)

DRAFT - EMPTA Effluent Characterization Summary

Vapour pressure	7 hPa (5 mmHg) at 20 °C (68 °F)
	47 hPa (35 mmHg) at 55 °C (131 °F)
Density	1.201 g/cm3 at 25 °C (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapor density	2.78 - (Air = 1.0)
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions no data available

Conditions to avoid Heat, flames and sparks.

Materials to avoid Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - no data available

FOUO

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 Inhalation LC50 LC50 Inhalation - rat - 4 h - 0.11 mg/l

Dermal LD50 LD50 Dermal - mouse - 18 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation Skin - rabbit - No skin irritation - 2 h - OECD Test Guideline 404

Serious eye damage/eye irritation Eyes - rabbit - Mild eye irritation - 72 h - OECD Test Guideline 405

Respiratory or skin sensitization

Maximisation Test - guinea pig - OECD Test Guideline 406 - Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

no data available

Carcinogenicity

Carcinogenicity - This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

Potential health effects

Inhalation	May be fatal if inhaled. Causes respiratory tract irritation.
Ingestion	Toxic if swallowed.
Skin	May be fatal if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

Signs and Symptoms of Exposure

Nausea, Headache, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information RTECS: KK0875000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 35.6 mg/l - 96 h

Toxicity to daphnia LC50 - Daphnia magna (Water flea) - 189 mg/l - 48 h and other aquatic invertebrates

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

FOUO

Harmful to aquatic life.

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1135 Class: 6.1 (3) Packing group: I Proper shipping name: Ethylene chlorohydrin Marine Pollutant: No Poison Inhalation Hazard: Hazard zone B

IMDG

UN number: 1135 Class: 6.1 (3) Packing group: I Proper shipping name: ETHYLENE CHLOROHYDRIN Marine Pollutant: No EMS-No: F-E, S-D

ΙΑΤΑ

UN number: 1135 Class: 6.1 (3) Proper shipping name: Ethylene chlorohydrin IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

15. REGULATORY INFORMATION

OSHA Hazards

Combustible Liquid, Target Organ Effect, Highly toxic by inhalation, Highly toxic by ingestion, Highly toxic by skin absorption, Irritant

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

	CAS-No.	Revision Date
2-Chloroethanol	107-07-3	2007-03-01

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

2-Chloroethanol	CAS-No. 107-07-3	Revision Date 2007-03-01
Pennsylvania Right To Know Components		
2-Chloroethanol	CAS-No. 107-07-3	Revision Date 2007-03-01

New Jersey Right To Know Components		
2-Chloroethanol	CAS-No. 107-07-3	Revision Date 2007-03-01
California Prop. 65 Components		

FOUO

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

DRAFT - EMPTA Effluent Characterization Summary

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

11 Dec 2013

SIGMA-ALDRICH

sigma-aldrich.com

Material Safety Data Sheet

Version 5.3 Revision Date 09/06/2013 Print Date 12/11/2013

1. PRODUCT AND COMPANY IDENTIFICATION					
Product name	:	Acetic acid			
Product Number Brand	:	A6283 Sigma-Aldrich			
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA			
Telephone	:	+1 800-325-5832			
Fax	:	+1 800-325-5052			
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555			
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956			

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Corrosive

Target Organs

Teeth., KidneyTeeth., Kidney

GHS Classification

Flammable liquids (Category 3) Acute toxicity, Oral (Category 5) Skin corrosion (Category 1A) Serious eye damage (Category 1)

GHS Label elements, including precautionary statements

*

0

Pictogram



Signal word

Chronic Health Hazard:

Flammability:

Danger

Hazard statement(s)	
H226	Flammable liquid and vapour.
H303	May be harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Precautionary statemer	nt(s)
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
HMIS Classification	
Health hazard:	3

Sigma-Aldrich - A6283

Physical hazards:	0
NFPA Rating	
Health hazard:	3
Fire:	0
Reactivity Hazard:	0
Potential Health Effects	
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin	May be harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns. Causes severe eye burns.
Ingestion	May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: Glacial acetic acid	
Formula Molecular Weight	: C ₂ H ₄ O ₂ : 60.05 g/mol	
Component		Concentration
Acetic acid		
CAS-No.	64-19-7	90 - 100 %
EC-No.	200-580-7	
Index-No.	607-002-00-6	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control	Basis
			parameters	
Acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper Respiratory Tract irritation Pulmonary function			
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Eye & Upper	ve & Upper Respiratory Tract irritation Pulmonary function ST 15 ppm USA. NIOSH Recommended Exposure Limits 37 mg/m3 37 mg/m3		
		TWA	10 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m3 is approximate.				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 30 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

FOUO

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

	Form	liquid
	Colour	colourless
Sa	ifety data	
	рН	2.4 at 60.05 g/l
	Melting point/freezing point	Melting point/range: 16.2 °C (61.2 °F) - lit.
	Boiling point	117 - 118 °C (243 - 244 °F) - lit.
	Flash point	no data available
	Ignition temperature	485 °C (905 °F)
	Auto-ignition temperature	485.0 °C (905.0 °F)
	Lower explosion limit	4 %(V)
	Upper explosion limit	19.9 %(V)
	Vapour pressure	73.3 hPa (55.0 mmHg) at 50.0 °C (122.0 °F) 15.2 hPa (11.4 mmHg) at 20.0 °C (68.0 °F)
	Density	1.049 g/cm3 at 25 °C (77 °F)
	Water solubility	completely miscible
	Partition coefficient: n-octanol/water	log Pow: -0.17
	Relative vapour density	no data available
	Odour	pungent
	Odour Threshold	no data available
	Evapouration rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions no data available

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Oxidizing agents, Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, permanganates, e.g. potassium permanganate, Amines, Alcohols, Nitric acid

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 LD50 Oral - rat - 3,310 mg/kg

Inhalation LC50

LC50 Inhalation - mouse - 1 h - 5620 ppm Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Blood:Other changes.

LC50 Inhalation - rat - 4 h - 11.4 mg/l

Dermal LD50

LD50 Dermal - rabbit - 1,112 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes - rabbit - Corrosive to eyes

Respiratory or skin sensitisation

May cause sensitisation by skin contact.

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard

no data available

Potential health effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Ingestion Skin	May be harmful if swallowed. May be harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns. Causes severe eye burns.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: AF1225000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 1,000 mg/l - 96 h Method: OECD Test Guideline 203				
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - > 300.82 mg/l - 48 h Method: OECD Test Guideline 202				
Persistence and degradability					
Biodegradability	aerobic				
- ,	Result: 99 % - Readily biodegradable.				

Result: 99 % - Readily biodegradable. Remarks: Expected to be biodegradable

Bioaccumulative potential

no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects

Biochemical Oxygen 880 mg/g Demand (BOD) Additional ecological no data available information

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2789 Class: 8 (3) Packing group: II Proper shipping name: Acetic acid, glacial Reportable Quantity (RQ): 5000 lbs Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN number: 2789 Class: 8 (3) Packing group: II Proper shipping name: ACETIC ACID, GLACIAL Marine pollutant: No

ΙΑΤΑ

UN number: 2789 Class: 8 (3) Packing group: II Proper shipping name: Acetic acid, glacial

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Corrosive

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

EMS-No: F-E, S-C

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Acetic acid	CAS-No. 64-19-7	Revision Date 1993-04-24		
Pennsylvania Right To Know Components				
Acetic acid	CAS-No. 64-19-7	Revision Date 1993-04-24		
New Jersey Right To Know Components				
Acetic acid	CAS-No. 64-19-7	Revision Date 1993-04-24		

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.