



Verification Division
S/1123/2013
12 August 2013
ENGLISH only

NOTE BY THE DIRECTOR-GENERAL

STATUS OF LABORATORIES DESIGNATED FOR THE ANALYSIS OF AUTHENTIC SAMPLES

1. The Conference of the States Parties at its First Session established the conditions under which laboratories may seek designation (C-I/DEC.60, 61, 62, and 65, all dated 22 May 1997), and at its Fifth Session (C-V/6, dated 19 May 2000) mandated the Executive Council (hereinafter “the Council”) to take a decision regarding guidelines on the designation of laboratories for the analysis of authentic samples. The Council took this decision at its Twentieth Session (EC-XX/DEC.3, dated 28 June 2000).
2. When designating laboratories for the analysis of authentic samples, and in accordance with C-I/DEC.61 and C-I/DEC.65, the Director-General takes the following into account:
 - (a) whether the laboratory has established a quality system in accordance with the relevant standards (ISO/IEC 17025:2005 or equivalent) and has valid accreditation by an internationally recognised accreditation body for the tasks for which it is seeking designation—namely, for the analysis of chemical-warfare agents and related compounds in various types of samples; and
 - (b) whether the laboratory has performed successfully in the proficiency-testing programme of the OPCW.
3. A laboratory must participate in the proficiency-testing programme at least once per calendar year. According to subparagraph 4(d) of the Annex to C-I/DEC.65, a rating of three “A’s”, or two “A’s” and one “B”, on the three most recent consecutive tests of a laboratory shall be regarded as constituting a successful performance.
4. If a designated laboratory performs unsuccessfully in a proficiency test, it may be temporarily suspended, but retain designated status, or it may have its designated status withdrawn, according to the guidelines in EC-XX/DEC.3. When this happens, the laboratory, also in accordance with EC-XX/DEC.3, will no longer be selected by the Director-General to receive and analyse authentic samples from the OPCW. However, it may perform other tasks, as set out in C-I/DEC.67 (dated 22 May 1997).
5. Following the completion of the Thirty-Third Official OPCW Proficiency Test, the Director-General wishes to inform Member States of the current status of the laboratories that have been designated for the analysis of authentic samples. Twenty-one laboratories from 17 Member States are designated; four of these are temporarily suspended.



DESIGNATED LABORATORIES

	Laboratory	State Party
1	Defence Laboratories Department	Belgium
2	The Laboratory of Analytical Chemistry, Research Institute of Chemical Defence	China
3	Laboratory of Toxicant Analysis, Institute of Pharmacology and Toxicology, Academy of Military Medical Sciences	China
4	VERIFIN, Finnish Institute for Verification of the Chemical Weapons Convention	Finland
5	DGA Maîtrise NRBC, Département d'analyses chimiques	France
6	Bundeswehr Research Institute for Protective Technologies and NBC Protection	Germany
7	Vertex Laboratory, Defence Research & Development Establishment	India
8	Council of Scientific and Industrial Research, Centre for Analysis of Chemical Toxins, Indian Institute of Chemical Technology	India
9	Defense Chemical Research Laboratory	Iran (Islamic Republic of)
10	TNO Defence, Security and Safety	Netherlands
11	Chemical Analysis Laboratory, CB Department, Agency for Defence Development	Republic of Korea
12	The Chemical Defence Research Institute	Republic of Korea
13	Chemical Analysis and Testing Laboratory, Scientific Research Center for CBRN Defense and Ecology	Romania
14	Laboratory for the Chemical and Analytical Control of Military Research Centre	Russian Federation
15	Verification Laboratory, Defence Medical and Environmental Research Institute, DSO National Laboratories	Singapore
16	Laboratorio de Verificación de Armas Químicas (LAVEMA), Instituto Tecnológico "La Marañosa"	Spain
17	FOI, CBRN Defence and Security, Swedish Defence Research Agency	Sweden
18	Spiez Laboratory, Swiss NBC Defence Establishment	Switzerland
19	Defence Science and Technology Laboratory, Chemical and Biological Systems, Porton Down	United Kingdom of Great Britain and Northern Ireland
20	Edgewood Chemical and Biological Forensic Analytical Center	United States of America
21	Lawrence Livermore National Laboratory	United States of America

6. The performance ratings of these laboratories are annexed hereto.

Annex: Performance Ratings of Designated Laboratories in Official Proficiency Tests

Annex

PERFORMANCE RATINGS OF DESIGNATED LABORATORIES IN OFFICIAL PROFICIENCY TESTS

Laboratory	Member State	27th (2010)	28th (2010)	29th (2011)	30th (2011)	31st (2012)	32nd (2012)	33rd (2013)
Defence Laboratories Department	Belgium	–	B	–	B	–	A	–
The Laboratory of Analytical Chemistry, Research Institute of Chemical Defence	China	A	–	–	A	–	A	A
Laboratory of Toxicant Analysis, Institute of Pharmacology and Toxicology, Academy of Military Medical Sciences	China	–	A	–	A	–	A	–
VERIFIN, Finnish Institute for Verification of the Chemical Weapons Convention	Finland	A	–	–	A	–	A	–
DGA Maîtrise NRBC, Département d'analyses chimiques	France	–	A	–	A	–	A	–
Bundeswehr Research Institute for Protective Technologies and NBC protection	Germany	A	–	A	–	A	–	–
Vertex Laboratory, Defence Research & Development Establishment	India	–	A	A	–	–	A	–
Council of Scientific and Industrial Research, Centre for Analysis of Chemical Toxins, Indian Institute of Chemical Technology	India	A	A	–	A	A	–	–
Defense Chemical Research Laboratory	Iran (Islamic Republic of)	–	A	A	–	–	C	B
TNO Defence, Security and Safety	Netherlands	–	A	–	A	–	A	–
Chemical Analysis Laboratory, CB Department, Agency for Defence Development	Republic of Korea	B	A	A	–	–	A	–
The Chemical Defence Research Institute	Republic of Korea	B	C	A	A	A	–	B
Chemical Analysis and Testing Laboratory, Scientific Research Center for CBRN Defence and Ecology	Romania	A	D	A	B	A	–	C

Laboratory	Member State	27th (2010)	28th (2010)	29th (2011)	30th (2011)	31st (2012)	32nd (2012)	33rd (2013)
Laboratory for Chemical and Analytical Control, Military Research Centre	Russian Federation	–	A	–	B	–	A	–
Verification Laboratory, Defence Medical and Environmental Research Institute, DSO National Laboratories	Singapore	–	A	A	B	–	B	A
Laboratorio de Verificación de Armas Químicas (LAVEMA), Instituto Tecnológico “La Marañosa”	Spain	–	C	A	A	–	A	–
FOI, CBRN Defence and Security, Swedish Defence Research Agency	Sweden	–	B	A	–	A	–	–
Spiez Laboratory, Swiss NBC Defence Establishment	Switzerland	A	–	A	–	–	A	A
Defence Science and Technology Laboratory, Chemical and Biological Systems, Porton Down	United Kingdom	–	A	–	A	–	A	–
Edgewood Chemical and Biological Forensic Analytical Center	United States	A	–	A	–	A	–	A
Lawrence Livermore National Laboratory	United States	–	C	–	A	A	A	–