

First Session Agenda item 51 C-I/DEC.63 22 May 1997 Original: ENGLISH

#### **DECISION**

# PROCEDURE FOR THE PROVISIONAL CERTIFICATION OF THE CENTRAL OPCW ANALYTICAL DATABASE

### The Conference

**Recalling** that the Commission, in its PC-XII/17, subparagraph 8.6 (a), adopted the document entitled "Procedure for the Provisional Certification of the Central OPCW Analytical Database".

**Bearing in mind** that the Commission recommended in paragraph 54.9 of its Final Report that the Conference adopt the above mentioned document,

## Hereby:

1. **Adopts** the document entitled "Procedure for the Provisional Certification of the Central OPCW Analytical Database", annexed hereto.

Annex

C-I/DEC.63 page 2

(blank page)

#### Annex

# PROCEDURE FOR THE PROVISIONAL CERTIFICATION OF THE CENTRAL OPCW ANALYTICAL DATABASE<sup>1</sup>

- 1. The provisional certification will be the result of a series of fully documented tests of the data and processes in accordance with the guidance provided by the Expert Group on Inspection Procedures and using ISO 9000 as a guide. At a certain time before EIF the first version of the central OPCW Analytical Database should be finalised.
- 2. The provisional certification of the central OPCW Analytical Database (Version 1) shall be carried out as follows:
  - (a) the Specialist Task Force on Analytical Databases shall review the process of creating the above-mentioned database in accordance with Annex 4 to PC-XI/B/WP.6 and the evaluation criteria contained in PC-VI/B/WP.17;
  - (b) the evaluation reports shall be conveyed from the Task Force on Analytical Databases, through the Expert Group on Inspection Procedures, to the Secretariat;
  - (c) the contents of the database in terms of chemicals and analytical data (IR, MS, NMR, GC) shall be indicated in a certificate;<sup>1</sup>
  - (d) the Chairman of the Task Force on Analytical Databases and the coordinators for each analytical technique (IR, NMR, MS, GC) shall sign the certificate for authentication; and
  - (e) the Expert Group on Inspection Procedures shall approve any such certificate.
- 3. The analytical databases to be contained in the analytical instrumentation for training purposes shall be certified as follows:
  - (a) data shall be extracted from the central OPCW Analytical Database in accordance with established regulations and appropriate Secretariat Standard Operating Procedures;
  - (b) the contents of the database in terms of chemicals and analytical data (IR, MS, GC) shall be indicated in a certificate; and
  - (c) the Executive Secretary shall sign the certificate for authentication.

---0---

It is noted that the issue of the scope of the central OPCW Analytical Database has yet to be finalised.

Contained in PC-XII/B/WP.6, Annex 4.